

EVINRUDE®/JOHNSON® 4-STROKE OUTBOARD OIL

Semi-Synthetic Marine

4-Stroke Crankcase Oil is

Specially Formulated to

Match the Requirements of

Johnson 4-Stroke Engines!

4-STROKE ENGINE OIL CAPACITY & FILTER CHART

Year	Horsepower	Displacement		# of Cyl.	Filter	Oil Capacity	
		cc's	cu			Std.	Metric
2003-05	4/5	138	8.4	1	5033378	23.6 oz	700 ml
2000-01	5	128	7.8	1	449534	27.0 oz	798 ml
2003-04	6	128	7.8	1	449534	27.0 oz	798 ml
1997-01	6	128	7.8	1	449534	27.0 oz	798 ml
1996-01	8	211	12.8	2	449534	33.8 oz	1000 ml
2003-04	8	211	12.8	2	449534	33.8 oz	1000 ml
1997-98	9.9	211	12.8	2	449534	33.8 oz	1000 ml
1995-01	9.9/15	305	18.6	2	434839	43.0 oz	1272 ml
2002-06	9.9/15	302	18.4	2	5333102	1.2 qts	1.1l
2003-06	25/30	36.4	2.2	3	5031411	3.4 qts	3.2l
1999-01	40/50	815	49.7	3	5031411	2.5 qts	2.4l
2002-05	60/70	1298	79.2	4	5031411 or 439839 long	4.8 qts	4.5l
1998-01	70	1298	79.2	4	434839	4.8 qts	4.5l
2003-05	90/115	1950	119.0	4	5033539	6.0 qts	5.7l
2003-05	140	2044	124.6	4	5033919	6.0 qts	5.7l
2004-05	200/225	3614	220.5	6	5035703	8.7 qts	8.2l

NOTE: Not all product was offered during these models years.

1995-1998 Evinrude & Johnson

1999-2001 Evinrude brand only

2002-2004 Johnson brand only

OIL / ENGINE CARE

GEARCASE CAPACITY CHART OUTBOARD

Chart continued on next page

EVINRUDE® — JOHNSON® OUTBOARDS

Laminated accessory for dealers – P/N 777317

Model	Year	Capacity (Ozs.)
1.5	1968–1970	1
2	1971–1985	2
Colt®/Junior®	1986–1991	2
2.0, 2.3, 3.3	1991–Thru	3
2.5	1987–1988	3
3	1952–1972	3
3	1990–Thru	3
4 (8110)	1969–1982	4
4 (90)	1973–Thru	3
Ultra 4 / Excel 4	1987–1991	3
4 Deluxe	1986–Thru	11
4 4-Stroke	2003	7
4.5	1980–1983	11
5	1965–1968	3
5	1998	6.4
5.5	1954–1964	9
6	1965–1979	9
6	1984–Thru	11
6 4-Stroke	1997–Thru	11
7.5	1951–1953	4
7.5	1954–1958	9
7.5	1980–1983	11
8	1984–Thru	11
8 4-Stroke	1995–Thru	9
9.5	1964–1973	10
9.9 2-Stroke	1974–Thru	9
9.9 / 15 4-Stroke	1995–2001	9
9.9 / 15 4-Stroke	2002–Thru	6
10	1956–1957	9
10	1958–1963	10
14	1951–1952	10
14	1988–1990	8
15	1953–1955	10
15	1956	9
15	1974–Thru	9
18	1957–1973	9
20	1966–1973	9
20	1985–Thru	11
25	1951–1955	14
25	1969–1984	9
25 Comm.	1985–Thru	9
25 Comm. Thru Hub	1991–Thru	11
25	1985–Thru	11
25 / 30 4-Stroke	2000–2001	8
28	1962–1964	14
28	1986–Thru	9
30	1956	14
30	1984–Thru	11
33	1965–1970	14
35	1957–1959	14
35	1976–1982	10
35	1983–1984	11
35 45 Cu. In. / 737 CC	1987	22
40	1960–1976	14
40 Elec. Shift	1962–1970	15
40 Comm.	1981–1990	14
40 Comm. (RS)	1991–Thru	16
40 Comm. (RP, RW)	1993	22
40	1984–1988	22
40	1989–Thru	16

Model	Year	Capacity (Ozs.)
45 Comm.	1986–Thru	22
48	1987–1988	22
48	1989–Thru	16
40 / 50 4-Stroke	1999–Thru	21
40 / 50 / 60	2004–Thru	22
Evinrude® E-TEC™		
50	1958–1959	35
50 1971–72 Electric	1971–1974	26
50	1975–1988	22
50	1989–Thru	16
50 Comm.	1977–1979	26
50 3 cyl. 56 Cu. In.	1995–Thru	22
55 Electric Shift 3 cyl.	1968–1969	26
55	1976–1979	22
55 Comm.	1980–Thru	22
60 Std.	1964–1967	20
60 Heavy-Duty	1964–1967	35
60 Electric Shift	1970–1971	26
60	1980–1985	22
60	1986–Thru	22
60 4-Stroke	2002–Thru	19
65 Standard	1968	20
65 Heavy-Duty	1968	35
65 1972 Electric	1972–1973	26
65 Comm.	1984–Thru	22
70	1974–Thru	22
70 4-Stroke	1998–Thru	19
75	1960	22
75 Man. Shift	1961–1965	20
75 Elec. Shift	1962–1965	18
75 15" Small G/C	1975–1988	22
75 20"	1975–1984	25
80 Man. Shift	1966–1967	20
80 Heavy-Duty	1966–1967	35
80 Elec. Shift	1966–1967	18
85 Man. Shift – Std.	1968	20
85 Elec. Shift	1968	18
85 Elec. Shift	1969–1971	27
85 1972 Elec. Shift	1972–1976	28
85 20"	1977	29
85 25"	1977	35
85	1978	38
85	1979–1980	27
85	1991–Thru	26
88	1987–Thru	26
90 Elec. Shift	1964–1965	18
90 Cross V4	1981–Thru	26
90 60V4 EL, SL	1995–Thru	31
90 60V4 EX, SX V6 G/C	1995–Thru	34
90 4-Stroke	2003–Thru	36
100* Elec. Shift	1966	28
100 Elec. Shift	1967–1968	38
100 Elec. Shift	1971–1972	27
100	1979–1980	27
100	1988–Thru	26
100 Comm. V6 G/C	1984–Thru	34
110	1986–1989	26
112	1994–Thru	26
115 Elec. Shift	1969–1970	27
115	1973–1976	28

Model	Year	Capacity (Ozs.)
115 20"	1977	29
115 25"	1977	35
115	1978	38
115	1979–1985	27
115	1990–Thru	26
115 4-Stroke	2003–Thru	36
115 60V4 EL, GL, SL	1995–Thru	31
115 60V4 EX, SX V6 G/C	1995–Thru	34
120 V6 G/C	1985	34
120	1986–1993	26
120 20"	1994	26
120 25" V6 G/C	1994	34
125 Elec. Shift	1971–1972	27
130 V6 G/C	1995–Thru	34
135	1973–1974	28
135	1975–1976	29
140	1977	35
140	1978	38
140	1979–1984	27
140 4-Stroke	2003–Thru	36
140 V6 G/C	1985	34
140 V4 Loop	1986–1987	26
140 20" V4 Loop	1988–94	26
140 25" V6 G/C	1988–94	34
150	1978	43
150	1979–1982	29
150 V6 Cross	1983–1991	34
150 60V6	1991–Thru	34
150 DI	1997–Thru	34
150 Comm.	1993–Thru	34
155 Comm.	1984–1990	77
155 Comm.	1991–1992	34
175	1977	44
175	1978	43
175	1979–1982	29
175	1983	34
175 V6 Cross	1986–1991	34
175 60V6	1991–Thru	34
175 DI	1998–Thru	34
185	1984–1985	34
200	1976–1977	44
200	1978	43
200	1979–1982	29
200	1983	34
200 V6 Loop	1986–Thru	34
225 V6 Loop	1986–Thru	34 V6 Coro 31
225	2004	31
235	1978	43
235	1979–1982	28
235	1983–1985	34
2.6L	1984–1985	34
V6 Type 'L'	2002–Thru	34
V4 / V6 Type 'O'	2002–Thru	34
V4 / V6 Type 'O' cx	2002–Thru	31
V6 Type 'M'	2002–Thru	44
V6 Type 'M' cx	2002–Thru	41

*Gearcase with Fill Plug Above Cavitation Plate 32 Oz.

GEARCASE CAPACITY CHART OMC DRIVE SYSTEMS

OMC STERN DRIVE

Model	Year	Upper Gearcase (Oz.)	Lower Gearcase (Oz.)
90Nu	1970	20.0	17.5
90Du	1970	20.0	17.5
90	1970-1971	20.0	17.5
100	1972-1974	16.6	40.6
120	1970-1971	20.0	40.6
120	1972-1977	16.6	40.6
120	1978-1981	16.6	33.8
2.5 Litre	1982-1986	16.6	26.7
140	1973-1977	16.6	40.6
140	1978-1981	16.6	33.8
3.0 Litre	1982-1986	16.6	26.7
155	1970-1972	20.0	40.6
165	1972-1976	16.6	40.6
170	1974	16.6	40.6
175	1975-1977	16.6	40.6
3.8 Litre	1981	16.6	38.4
3.8 Litre (2V)	1982-1985	16.6	32.1
3.8 Litre (4V)	1982-1985	16.6	32.1
4.3 Litre (2V)	1986	16.6	32.1
4.3 Litre (4V)	1986	16.6	32.1
185	1978-1980	16.6	38.4
190	1974-1977	16.6	40.6
200	1979-1981	16.6	38.4
5.0 Litre (2V)	1982-1985	16.6	32.1
210	1970-1971	20.0	40.6
215	1971	20.0	40.6
225	1972-1976	20.0	40.6
2258	1978	16.6	38.4
230	1979-1981	16.6	38.4
5.0 Litre (4V)	1981-1986	16.6	32.1
235	1971	20.0	40.6
235	1975-1977	16.6	40.6
240	1978	16.6	38.4
245	1972-1975	20.0	40.6
250	1979	16.6	38.4
260	1979-1981	16.6	38.4
5.7 Litre	1982-1986	16.6	32.1

OMC COBRA®

Model	Capacity (Oz.)
2.3L, 128 Model	60
2.5L	60
3.0L, 1990-93	64
3.0L, 130 Model	60
4.3L, 175 Model	64
5.0L	64
5.7L, 260 Model	64
7.5L	108
1990-93 3.0L, 3.0L HO	64
185, 200, 235 Models	64
262 OMC King CobraR	64
350 OMC King Cobra	64
460 OMC King Cobra	108
460 OMC King Cobra (Cone Clutch)	103
1990-94 King Cobra (Cone Clutch)	103
1994-Thru Cobra (Cone Clutch)	71
1996-Thru Dual Prop	81

OMC SEA DRIVE®

Model	Capacity (Oz.)
1.6L, 1.8L, 2.0L	27
2.5, 2.6L, 2.7L, 3.0L	34
3.6L, 4.0L	77

OMC SAIL DRIVE

Model	Capacity (Oz.)
1977-1986	20